NICHOLAS BASTIDAS, MD, FAAP

Plastic, Reconstructive & Craniofacial Surgery Assistant Professor of Surgery www.ippcs.org Manhattan Office 210 East 68th St., Suite 1F New York, NY 10065 (T) 212.485.0616 Long Island Office 1991 Marcus Ave., Suite 102 Lake Success, NY 11042 (T) 516-497-7900 (F)516.497.7920

What to expect during a polydactyly (extra fingers or toes) repair:

- The removal and repair of the extra digits is done in the office with local anesthesia. The baby will receive a small shot of Lidocaine with Epinephrine to numb the area on the hand prior to the procedure (like a shot you get at the dentist). The finger or toe will be completely numb. The baby will not feel any pain during the procedure.
- Feed your baby right before the procedure, and bring a bottle and or pacifier so that your baby will be more comfortable.
- After the digit is removed, stitches will be placed to close the open skin. These are dissolvable stitches.
- Your baby will return to the office in 1 week to check the hands or feet and remove or trim the stitches. Sometimes stitches may be left in place. These can take 4-6 weeks to fully dissolve.

Discharge Instructions:

- The baby will have small pieces of tape called a steri strip over the stitches.
- If the baby seems uncomfortable that night, give a dose of Tylenol or Ibuprofen. (See dosing chart for the right dose.)
- Keep the hands dry for 24 hours. After that, wash the hands with soap and water 2x/day. Do not immerse the area in water for 2 weeks.
- Leave the steri strips on until they fall off or until the follow up appointment next week.
- If the steri strips have fallen off, apply antibiotic ointment (like Bacitracin or Neosporin 3x per day).
- After the first week, apply a small amount of Aquafor ointment to the site 2x/day.
- If stitches are taking longer than 3 weeks to dissolve, gently rub the stitches with a soapy washcloth when bathing the baby.
- When a scar has formed, you can massage the area with Aquafor 2x/day to help soften and smooth the scar. Do this for 2 months.

Please call the office or nurse practitioner (347-502-1439) if...

- Your baby has a fever greater than 100.5 °F.
- There is a lot of bleeding and it won't stop. A little bit of blood on the tapes or dressing is fine.
- You notice a funny odor, or yellow, pus-like discharge.